

I Claim:

1. An oven, comprising:

a cooking chamber with a door opening; and

a door movably associated with said cooking chamber for closing said door opening, said door being multi-paneled and having:

a front panel having an inside and a peripheral border;

retaining elements disposed on said inside of said front panel within said peripheral border of said inner panel; and

at least one pan-shaped inner panel fastened on said front panel by said retaining elements.

2. The oven according to claim 1, wherein said inner panel has a periphery with a raised border section having an end surface and terminates, around said periphery, in said raised border section, said end surface butting against said inside of said front panel.

3. The oven according to claim 1, wherein said inner panel has a periphery terminating with a raised border section

having an end surface butting against said inside of said front panel.

4. The oven according to claim 1, further comprising a peripheral seal sealing said inner panel against said inside of said front panel.

5. The oven according to claim 1, wherein said inner panel is formed with air-inlet and air-outlet openings for ventilation of said door.

6. The oven according to claim 1, wherein said inner panel is formed with air-inlet and air-outlet openings between said inner panel and said front panel for ventilation of said door.

7. The oven according to claim 1, wherein said front panel is formed of a material and has an integral door handle formed from said material.

8. The oven according to claim 7, further comprising a handle attachment secured on said door handle.

9. The oven according to claim 1, wherein said door has door fittings secured on the front panel for fixing said door to an oven housing.

10. The oven according to claim 1, further comprising an oven housing, said door having door fittings secured on the front panel fixing said door to said oven housing.

11. The oven according to claim 1, wherein:

said inner panel is of a material; and

said material is borosilicate glass.

12. An oven, comprising:

a cooking chamber with a door opening; and

a door movably associated with said cooking chamber for closing said door opening, said door having:

a front panel having an inside surface and a peripheral border;

retaining elements disposed at said inside surface within said peripheral border; and

at least one pan-shaped inner panel fastened to said front panel by said retaining elements.

13. A oven door for closing a cooking chamber of an oven,
comprising:

a front panel having an inside and a peripheral border;

retaining elements disposed on said inside of said front panel
within said peripheral border of said inner panel; and

at least one pan-shaped inner panel fastened on said front
panel by said retaining elements.